

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6: WO 98/09516 (11) International Publication Number: A01N 25/14 A1 (43) International Publication Date: 12 March 1998 (12.03.98)

DE

(21) International Application Number: PCT/EP97/04783

(22) International Filing Date: 2 September 1997 (02.09.97)

3 September 1996 (03.09.96)

(71) Applicant (for all designated States except US): NOVARTIS AG (CH/CH); Schwarzwaldallee 215, CH-4058 Basel (CH).

(72) Inventors; and

(30) Priority Data:

196 35 631.8

(75) Inventors/Applicants (for US only): REUTER, Karl [DE/DE]; Sundgauallee 88, D-79110 Freiburg (DE). KRUEGER, Christian [DE/DE]; Talstrasse 21, D-79639 Grenzach-Wyhlen (DE).

(74) Agent: ROTH, Bernhard, M.; Novartis AG, Patent- und Markenabteilung, Lichtstrasse 35, CH-4002 Basel (CH).

(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).

Published

With international search report.

Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.

(54) Title: AGROCHEMICAL COMPOSITIONS

(57) Abstract

Agrochemical granulated material, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25 °C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent, and optionally having an outer coating, characterised in that the granulated material has plastic behaviour at +25 °C.



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCI)

1) International Patent Classification 6:		NDER THE PATENT COOPERATION TREAT (101) (11) International Publication Number: WO 98/09516
A01N 25/14	A1	(43) International Publication Date: 12 March 1998 (12.03.98)
21) International Application Number: PCT/E 22) International Filing Date: 2 September 1997 30) Priority Data: 196 35 631.8 3 September 1996 (03.09.) 71) Applicant (for all designated States except US): AG [CH/CH]; Schwarzwaldallee 215, CH-4058 (72) Inventors/Applicants (for US only): REUTER, Ka Sundgauallee 88, D-79110 Freiburg (DE). Christian [DE/DE]; Talstrasse 21, D-79639 Wyhlen (DE). (74) Agent: ROTH, Bernhard, M.; Novartis AG, Markenabteilung, Lichtstrasse 35, CH-4002 Ba	96) NOVAR Basel (C ri [DE/I KRUEG Grenz	BY, CA, CH, CN, CU, CZ, DE, DR, LX, LX, LC, LK, LR GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BI CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NI PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GR ML, MR, NE, SN, TD, TG). Published With international search report. Before the expiration of the time limit for amending to claims and to be republished in the event of the receipt amendments.

(57) Abstract

Agrochemical granulated material, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25 °C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent, and optionally having an outer coating, characterised in that the granulated material has plastic behaviour at +25 °C.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL.	Albenia	ES.	Spein	LS	Lesatho	SI	Slovenia
AM	Armenia	n	Finland	LT	Lithunia	SK.	
AT	Austria	FR	France		Luxembourg		Slovakia
AU	Australia	GA	Gabon	LV	Latvia	SN	Senegal
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	82	Swaziland
BA	Bossia and Herzegovina	GK	Georgia	MD		TD	Chad
BB	Barbados	GH	Ghane	MG	Republic of Moldova	TG	Togo
ae	Belgium	GN	Guines	MK	Madagascar The former Yugoslav	T)	Tajikisten
BP	Burkina Paso	GR	Greece	WIE.		TM	Turkmenistan
RG	Bulgaria	HU	Hungary	ML	Republic of Macedonia Mali	TR	Turkey
Ŋ	Heain	IK	freland	MN		TT	Trinidad and Tobago
BR	Brazil	(L	Israel	MR	Mongolia	UA	Ukraine
BY	Belarus	IS.	Iceland	MW	Materiracia	UG	Uganda
CA	Canada	(T	italy		Malawi	US	* United States of America
CF	Central African Republic	JP	Japan	MX	Mexico	UZ	Usbeklatan
CG	Congo	KR	Kenya	NE	Niger	VN	Vict Nam
CII	Switzerland	KG	Кутдузыца	NL	Netherlands	YU	Yugostavia
CI	Côte d'Ivoire	KP	Democratic People's	NO	Norway	ZW	Zimbubwe
CM	Cameroon		Republic of Korea	NZ	New Zealand		
CN	China	KR	Republic of Korea	P1.	Poland		
CU	Cuba	KZ	Kazakstan	PT	Portugal		
CZ	Czech Republic	LC	Saire Lucia	RO	Romania		
DR	Germany	ũ	Liechtenstein	KU	Russian Federation		•
DK	Denmark	LX		SD	Sudan		
EE	Estonia	LR	Sri 1.anka	SE	Sweden		
		,LAK	t.iberia	SG	Singapore		

AGROCHEMICAL COMPOSITIONS

The present invention relates to a new type of agrochemical granulated material, which is dispersible in water so as to produce a spray liquor that is ready for use.

Commercial forms of agrochemical active ingredients, that are dispersible in water, are conventional in practice. As well as liquid forms such as emulsion concentrates or suspension concentrates, solid forms such as granules that are dispersible in water, exist commercially. The chosen commercial formulation is basically determined by the physical parameters of the selected active ingredients and admixtures such as surfactants, emulsifiers or carriers. For example, for liquid active ingredients and admixtures, normally liquid commercial forms are chosen, and for solid ones the solid forms of preparation are chosen. In the case of liquid active ingredients, the liquid forms of preparation can normally contain higher concentrations of the active ingredient than the solid forms, but require stable transport containers such as canisters or casks, the return transport and cleaning or disposal of which after emptying give rise to additional costs. On the other hand, the solid forms of preparation may be transported in plastic bags or paper sacks, which can be easily folded up and disposed of after emptying, without giving rise to significant costs. The known solid commercial forms may also be selected for liquid active ingredients or liquid admixtures, if a high proportion of solid, absorbent carrier material is chosen. The proportion of liquid components consisting of active ingredient and admixtures in these dispersible, adsorbed, granulated materials may not in general exceed 20 to 25 percent by weight.

In agricultural practice, there is therefore a need for solid commercial forms, especially granular forms, which allow high proportions of liquid and waxy components such as active ingredients and admixtures to be incorporated therein.

In accordance with the invention, an agrochemical granulated material is prepared, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25°C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent: It optionally has an outer coating and is characterised in that the granulated material has plastic behaviour at 25°C. These new type of

granulated materials may contain up to 90% of liquid, gel-like or waxy constituents. The proportion of these constituents is in general preferably 40 to 90%

An agrochemical granulated material which is dispersible in water, in terms of this application, is understood to be a granular composition for agrochemical active ingredients, which is present as granulated material in its commercial, transport and storage form, and which when preparing an aqueous dispersion breaks down in water automatically or with light stirring, to form a homogeneous, sprayable dispersion. At normal ambient temperature, these granulated materials exist as a coarse-grained, free-flowing, non-sticking or non-drying granulated material. Normally, the granulated materials according to the invention are dust-free.

Compared with the previously known dispersible granulated materials, which as such contain liquid contents such as active ingredients of surface-active compounds or liquid mixtures thereof, the granulated materials according to the invention are superior in that they only contain small proportions of solid carrier materials, that is, the granulatable raw material is not produced by adsorption of the liquid components on the solid inert carrier material. The maximum charge of granulated materials consisting of adsorptive carrier materials for liquid constituents is 20 to 25% according to present experience. In contrast, the granulated material according to the invention is a surfactant/matrix granulated material or an active ingredient/matrix granulated material, in which the agrochemical active ingredient is embedded in a matrix consisting of a surface-active material (surfactant), or the surfactant is embedded in a matrix consisting of an active ingredient. In the granulated materials according to the invention, these active ingredient/surfactant mixtures themselves have an aggregate state which is liquid, gellike or waxy at +25°C, and does not allow granular materials to be formed directly. In accordance with the invention, a granulated material with plastic behaviour is produced from such a mixture, whereby the agrochemical active ingredient is mixed with the surface-active compound to form a homogeneous mixture or dispersion, and this mixture is brought to a granulatable state by adding a small amount of an appropriate thickening agent, this mixture is granulated and the surface of the granulated material obtained is coated if required. This coating may serve to improve the fluidity of the granulated material.

Appropriate granulating processes are all conventional processes described in granulating technology, for example spray drying, fluidised bed granulation and in particular extrusion granulation.

The granulated materials obtained by the granulation process according to the invention are normally not sticky at room temperature (+ 25°C) and do not dry out even when storing for long periods.

The granulated materials according to the invention are dispersed by stirring into water in the spray tank, to form a dispersion which is ready for use within 5 to 10 minutes.

In contrast to the known adsorbed granulated materials, the granulated materials according to the invention have a plastic consistency, that is, under mechanical pressure the grains do not break down into powder or granule fragments, but are basically deformed into flat circular discs. In this way, a cylindrical or spherical grain according to the invention with a diameter of

0.6 - 2 mm is deformed homogeneously, like a plastic, to form an elliptic or circular plate at a thickness of at most 20% of its original diameter, when compressed between two non-plastic parallel plates.

Suitable thickening agents in the granulated materials according to the invention may be all substances which are able to thicken the liquid, gel-like or waxy mixtures of agrochemical active ingredients and surface-active substances, in such a way that the admixed mass has a consistency suitable for granulation. To this end, the following are especially suitable: ultra-fine silicon dioxide, pyrogenic silicon dioxide or precipitated silicon dioxide; ultra-fine aluminium silicates such as bentonite, organic polymers such as polyvinyl alcohol derivatives, cellulose derivatives, polysaccharide derivatives or ultra-fine urea- or melamine/formaldehyde-condensates. By ultra-fine forms of the thickening agents are understood powder forms with grain sizes of between 0.01 µm and 10 µm. Commercially available thickening agents, which may be used in the granulated materials according to the invention, are for example AEROSIL (DEGUSSA AG, Frankfurt, Germany); CELITE (MANVILLE, Denver, USA); PERGOPAK (MARTINSWERK, Berghelm, Germany); ARGIREC (BLANCS MINEREAUX de PARIS, Paris, France).

A particular advantage of the granulated materials according to the invention is their high content of liquid, gel-like or waxy mixture, which preferably makes up between 40 and 90% of the total weight of the granulated material.

If desired, the granulated materials according to the invention may contain, in addition to the active ingredients and surface-active substances, further carriers and admixtures that are usual in agriculture. Preferably, the content of carriers is at most up to 55% of the total weight. In particular, the proportion of carriers is less than 10% of the total weight.

The proportion of thickening agent in the granulated materials according to the invention is generally up to 20 percent by weight, preferably 5 to 20, especially 5 to 10 percent by weight.

The granulated materials according to the invention preferably contain 40 to 90% of the liquid, gel-like or waxy mixture comprising agrochemical active ingredient and surface-active compound, 5 to 20% of a thickening agent, and a carrier and/or admixture which is usual in agriculture.

Carriers that are usual in agriculture, in the terms of the present invention, are materials which are acceptable in agriculture and are added to the active component to bring it into a form which is easier or better to use, or to bring it to a useful or desirable strength of activity. This may be for example talc, kaolin or diatomaceous earth.

The liquid, gel-like or waxy mixture incorporated in the granulated material according to the invention consists either of a liquid or solid agrochemical active ingredient and a liquid surface-active compound, or of a liquid active ingredient and a liquid or solid surface-active compound.

The agrochemical active ingredients may be fertilizers, growth regulators and pesticides. The granulated materials are preferably used as a formulation for pesticides having acaricide, fungicide, herbicide or insecticide activity.

For example, the following active ingredients may be granulated by the formulation technique according to the invention:

Acaricides and insecticides such as benthiocarb, diflubenzuron, teflubenzuron, lufenuron, diafenthiuron or pyrethroide such as bifenthrin, bioallethrin, tau-fluvalinate, resmethrin, permethrin, cypermethrin, cyfluthrin, cyhalothrin, deltamethrin, tefluthrin or tetramethrin; furtheron pymetrozin, thiocyclam, fenoxycarb, methopren, abamectin and emamectin.

Preference is given to lufenuron, diafenthiuron, tau-fluvalinate and cypermethrin.

Fungicides such as benomyl, carbendazim, cyprodinii, chlorthalonii, dimethomorph, edifenphos, fenpropimorph, metalaxyl, (R)-metalaxyl (enantiomer), oxadixyl, pyrifenox, thiabendazol, tridemorph, azoxystrobin, kresoxim-methyl or triazoles such as propiconazol, difenoconazol, bromoconazol, cyproconazole, epoxyconazol, hexaconazol, ipconazol, fenbuconazol, myclobutanii, penconazol, tebuconazol, triadimefon, triadimenol, tetraconazol, triticonazol, or uniconazol; furtheron acibenzolar-S-methyl, famoxadone, quinoxyfen, spiroxamin, fludioxonii, fenpicionii, fenhexamid and 2-[α-{[(α-methyl-3-trifluoromethyl-benzyl)imino}-oxy}-o-tolyl]-glyoxylic acid-methylester-O-methyloxim.

Preference is given to carbendazim, cyprodinil, chlorthalonil, metalaxyl, (R)-metalaxyl, oxadixyl, azoxystrobin, kresoxim-methyl, propiconazol, cyproconazole, epoxyconazol and tebuconazol.

Herbicides such as chlortoluron, bifenox, bromoxynil and its octanoate, ioxynil and its octanoate, fluometuron, glufosinate, glyphosate, pendimetalin, sulcotrione, 3-phenyl-4-hydroxy-6-chlorpyridazine, alachlor, dimethenamide, metolachlor, (S)-metolachlor (enantiomer), or sulfonyl-ureas such as bensulfuron, primisulfuron, prosulfuron, triasulfuron, pyrazosulfuron, nicosulfuron, rimsulfuron, thifensulfuron, triflusulfuron, oxasulfuron, cinosulfuron; furtheron atrazine, propaquizatop, trinexapac-ethyl, pyridate, dicamba, clodinatop, fenciorin. Preference is given to fluometuron, glufosinate, glyphosate, sulcotrione, 3-phenyl-4-hydroxy-6-chlorpyridazin, dimethenamid, metolachlor, (S)-metolachlor, triasulfuron, nicosulfuron or rimsulfuron.

The components in the mixture may be solid or liquid, surface-active substances. These surface-active substances are preferably anionic surfactants from the series of fat alcohol ether sulphonates, such as lauryl ether sulphates, sulphosuccinates, sulphonated naphthalene/formaldehyde condensates and alkylaryl sulphonates, or non-ionic surfactants from the series of alkylphenol ethoxylates, such as nonylphenol ethoxylates, fat alcohol ethoxylates such as oleyl alcohol ethoxylates or lauryl alcohol

ethoxylates, fat amine ethoxylates and mixtures thereof, ethoxylated oils such as ethoxylated castor oil and rapeseed oil, ethoxylated fatty acid methyl esters, sorbitan esters and ethoxylated sorbitan esters, alkyl- and alkylaryl-polyethylene oxide phosphoric acid esters, ethoxylated polyethylene glycols, ethylene oxide / propylene oxide adducts, alkyl-succinic acid anhydride condensates, fatty acid amide ethoxylates, alkyl-polyglycosides or silicone surfactants.

Examples of commercial types of surfactant that may be formulated into granulated materials according to the invention are:

GENAPOL (HOECHST AG, Frankfurt, Germany); laurylether sulphate (HOECHST AG, Frankfurt, Germany); SYNPERONIC (ICI EUROPE LTD, Kortenberg, Belgium), ARMOBLEN (AKZO NOBEL SURFACE CHEMISTRY BV, Amersfoort, Netherlands), BEROL (AKZO NOBEL SURFACE CHEMISTRY BV, Amersfoort, Netherlands), CROVOL (CRODA OLEOCHEMICALS, North Humberside, Great Britain), ALKAMULS (RHONE POULENC, Paris, France), oleic acid methylester (HUELS AG, Mari, Germany), AEROSOL (CYTEC INDUSTRIES INC., West Peterson, N.J., USA), CRILL and CRILLET (CRODA OLEOCHEMICALS, North Humberside, Great Britain), CRODAFOS (CRODA OLEOCHEMICALS, North Humberside, Great Britain), SOPROPHOR (RHONE-POULENC, Paris, France), ATLOX (ICI EUROPE LTD, Kortenberg, Belgium), MARLOX (HUELS AG, Mari, Germany), ASAC (ICI EUROPE LTD, Kortenberg, Belgium), GENAGEN (HOECHST AG, Frankfurt, Germany); AG 6202 (AKZO NOBEL SURFACE CHEMISTRY BV, Amersfoort, Netherlands), SUPRAGIL (RHONE POULENC, Paris, France), calcium dodecylbenzene-sulphonate (HOECHST AG, Frankfurt, Germany); .SILWET (OSI SPECIALTTIES, Tarrytown, N.Y., USA).

If necessary, in addition to these surface-active substances, the granulates may also contain further additives, for example anti-foaming agents.

The granulated materials according to the invention are normally non-sticking or non-drying, and exist as free-flowing granular form. If it is desired that the surface of the granulated materials according to the invention are further treated against adhesion, this surface may be covered with one of the said powdery carriers such as kaolin or talc. This coating may take place for example by dusting with kaolin or talc, or by rolling in a mixing or drying drum covered with kaolin or talc. Alternatively, the surface of the granulate may also be coated e.g. with a water-soluble polymer film of polyvinyl alcohol or polyvinyl pyrrolidone in a film-forming drum.

The granulated materials according to the invention enable not only a high concentration of liquid active ingredients to be obtained, but also a high concentration of liquid, gel-like or waxy surface-active substances. In a typical granular formulation according to the invention, there is for example 10-30% active ingredient, 40-70% surface-active substance, 10-20% thickening agent and 0-10% powdery carriers. Compositions such as 24% active ingredient, 50% surface-active substance, and 26% thickener, dispersing agents, wetting agents and carriers; or 25% active ingredient, 60% surface-active substance, 10% thickening agent, 1.5% deloamer and 2.5% kaolin may be mentioned by way of example.

The following examples serve to illustrate the invention, but in no way restrict it.

Example 1: Cyproconazole granulated materials

56% lauryl ether sulphate (dry content) in the form of a 70% water-containing paste (Genapol • LRO, Hoechst AG, Frankfurt) is mixed to a homogeneous dispersion with 1.5% defoamer (Fluowet • PL 80, Hoechst AG, Frankfurt), 25% cyproconazole (technical, 96%) and 10% thickening agent (Aerosil • 200, Degussa, Frankfurt). The paste obtained is extruded in an extrusion press having a perforated screen of 0.5 - 2.0 mm hole diameter. The extruded cord-like material is divided into cylindrical grains of 2 to 20 mm length and the surface thereof is coated with 4.5% powdery kaolin (Tuboryl • N, SILICE et KAOLIN, Paris, France). The extruded granulated material is dried in a drying appliance up a residual molsture of ca. 3% water content. During the drying process, the granulated material hardens further. The granulated material obtained contains 24% pure cyproconazole, 56% GENAPOL LRO, 10% AEROSIL, 4,50% TUBORYL N, 1,50% FLUOWET PL 80, and ca. 3% water.

Example 2: Further granulated materials

The following plastic granulated materials are produced analogously to the process in example 1:

Details in percent by weight

Residual moisture of the granulated material: 1-5% water

Component	2a	2b	2c	2 d	2e	2f	· 2g	2h
cyproconazole	25	25	25	25		******************************	***************************************	30
Tau-fluvalinate					20	25	15	
GENAPOL 0-80				40		40		55
Laurylether sulphate	55	40	40		60		57	
AEROSIL 200	12				10			10
CELITE 209			18				10	
PERGOPAK		15	8	16		16	10	
AGRIREC B24	4	10		10	6	10		
SUPRAGIL EI210		6	5	7		7	2	1
kaolin (TUBORYL N)	,				•		3	·

Example 3: Plasticity test

A cylindrical grain (obtained according to example 1) of 1 mm diameter and 4 mm length is positioned lengthways between two glass plates. The glass plates are compressed with even pressure until 0.15 mm apart. During the compression process, the grain becomes deformed into a circular or elliptic homogeneous plate of 0.15 mm height. During the compression process, no fragments or powdery particles (fig. 1) are formed. In contrast to this, when compressing a non-plastic granulated material, for example an adsorbed granulated material, small fragments (fig. 2) are obtained.

In various-plasticity tests with longer cylindrical grains (10 mm length, 1 mm diameter), the deformed elements obtained were almost square-shaped: at a final height of 0.2 mm, the width was 6-8 mm and the length 11-17 mm.

Example 4: Biological test In a field test in Switzerland, the effects of cyproconazole in various types of formulation

on Erisyphe graminis (powdery mildew) were determined in barley.

Field plots (2 m x 7.5 m) were sown on 25th August with barley seed of the cultivar "Golden Promise". After emergence, the plots were sprayed on 18th September with spray liquors produced from the different formulations. The amounts applied were respectively 80 g cyproconazole per hectare. Evaluation was effected 17 days and 24 days after treatment and compared with untreated comparison plots, and the results given as percentage control of the powdery mildew attack (100% = no attack; 0% as untreated control).

The following formulations were tested:

(cyproconazole, 25% wettable granulated material according to the Composition 1

present invention: 25% cyproconazole, 51% lauryl ether sulphate, 10% AEROSIL 200, 6% TUBORYL N, 4% silicone defoamer, 4%

water).

(cyproconazole, 10% solution concentrate, commercial form: 10% ALTO 100 SL

cyproconazole, 8.5% N-methylpyrrolidone, 5% AGRILAN F 546

(HARCROS CHEM., Great Britain), 76.5% polyethylene glycol).

(cyproconazole, 40% wettable granulated material based on solids SENTINEL 40 WG

: 43.96% technical (91%) cyproconazole, 20% ULTRAZIN NA

(LIGNOTECH, Norway), 36.04% MIKRODOL EXTRA

(NORWEGIAN TALC, Norway)).

Test results:

Cyproconazole,

in barley "Golden Promise" against powdery mildew (Erisyphe graminis) 80 g cyproconazole per hectare

percentage control 17 DAT, 24 DAT

Formulation	17 DAT	24 DAT
composition 1	· · 87	76
ALTO 100 SL	80	68
SENTINEL 40 WG	62	35

For a single application of 80 g active ingredient per hectare, the granular formulation according to the invention had the best effect, which clearly surpassed the effect of the liquid commercial form ALTO SL. The effect of the granular commercial form SENTINEL WG was considerably weaker in this test.

Patent Claims

- 1. Agrochemical granulated material, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25°C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent, and optionally having an outer coating, characterised in that the granulated material has plastic behaviour at +25°C.
- Granulated material according to claim 1, characterised in that a cylindrical or spherical grain with a diameter of 0.6 - 2 mm is deformed homogeneously, like a plastic, to form an elliptic or circular plate at a thickness of at most 20% of its original diameter, when compressed between two non-plastic parallel plates.
- Granulated material according to claim 1 or 2, characterised in that it additionally contains further admixtures that are usual in agriculture.
- Granulated material according to claim 3, characterised in that it contains up to 55%, preferably up to 10%, of admbdures.
- Granulated material according to one of claims 1 to 4, characterised in that the content of liquid, gel-like or waxy mixture in the granulated material is 40 to 90% of its total weight.
- Granulated material according to one of claims 1 to 5, characterised in that it
 contains up to 20% by weight, preferably 5-20%, especially 5-10% by weight of a
 thickening agent.
- 7. Granulated material according to one of claims 1 to 7, characterised in that it contains 40 to 90% of the liquid, gel-like or waxy mixture comprising agrochemical active ingredient and surface-active compound, 5 to 20% of a thickening agent, and further admixtures that are usual in agriculture.
- 8. Granulated material according to one of claims 1 to 7, characterised in that the liquid, gel-like or waxy mixture consists of a liquid or solid agrochemical active

ingredient and a liquid surface-active compound, or of a liquid active ingredient and a liquid or solid surface-active compound.


- Granulated material according to claim 8, characterised in that the agrochemical active ingredient in question is a pesticide having acaricide, fungicide, herbicide or insecticide activity.
- Granulated material according to claim 9, characterised in that the herbicide in question is one selected from the group fluometuron, gluphosinate, glyphosate, sulcotrione, 3-phenyl-4-hydroxy-6-chlorpyridazine, dimethenamide, metolachlor, (S)-metolachlor, triasulfuron, nicosulfuron and rimsulfuron.
- 11. Granulated material according to claim 9, characterised in that the agrochemical active ingredient is a fungicide selected from the group carbendazim, cyprodinil, chlorthalonil, metalaxyl, (R)-metalaxyl, oxadixyl, azoxystrobin, kresoxim-methyl, propiconazol, cyproconazole, epoxyconazol and tebuconazol.
- 12. Granulated material according to claim 9, characterised in that the agrochemical active ingredient is an acaricide or insecticide selected from the group lufenuron, diafenthiuron, tau-fluvalinate and cypermethrin.
- 13. Granulated material according to one of claims 1 to 12, characterised in that the thickening agent is selected from the series ultra-fine, pyrogenic or precipitated silicon dioxide, bentonite and organic polymers such as polyvinyl alcohol derivatives, cellulose derivatives, polysaccharide derivatives or ultra-fine urea or melamine/formaldehyde condensates.
- 14. Granulated material according to one of claims 1 to 12, characterised in that the surface-active compound in question is an anionic surfactant from the series of fat alcohol ether sulphonates, such as lauryl ether sulphates, sulphosuccinates, alkyl- and alkylaryl-polyethylene oxide phosphoric acid esters, sulphonated naphthalene/formaldehyde condensates and alkylaryl sulphonates, or a non-ionic surfactant from the series of alkylphenol ethoxylates, such as nonylphenol ethoxylates, fat alcohol ethoxylates such as oleyl alcohol ethoxylates or lauryl alcohol ethoxylates, fat amine ethoxylates and mixtures thereof, ethoxylated oils such as ethoxylated castor oil and rapeseed oil, ethoxylated fatty acid methyl

esters, sorbitan esters and ethoxylated sorbitan esters, ethoxylated polyethylene glycols, ethylene oxide / propylene oxide adducts, alkyl-succinic acid anhydride condensates, fatty acid amide ethoxylates, alkyl-polyglycosides or silicone surfactants.

- 15. Granulated material according to one of claims 1 to 14, characterised in that a powdery carrier such as kaolin or talc, which is usual in agriculture, is applied to the surface of the granulated material as a coating, or the granulated material bears a coating consisting of a water-soluble polymer film such as polyvinyl alcohol or polyvinyl pyrrolidone.
- 16. Process for the production of a granulate according to claim 1, characterised in that the agrochemical active ingredient is mixed with the surface-active compound to form a homogeneous mixture, and this mixture is brought to a granulatable state by adding a thickening agent, this mixture is granulated and the surface of the granulate obtained is given a coating if desired.
- Process according to claim 16, characterised in that the granulate is produced by an extrusion process.



A65.4



BEST AVAILABLE COPY

SUBSTITUTE SHEET (RULE 26)

INTERNATIONAL SEARCH REPORT

In tilonal Application No PCT/EP 97/04783

CATION OF SUBJECT MATTER AO 1N25/14		
international Patent Classification (IPC) or to both national classificate	on and IPC	
EARCHED		
A01N .		
on searched other than minimum documentation to the extent that sur	ch documents are included in the fields se	arched
ate base consulted during the international search (name of data base	e and, where practical, search terms used)
ENTS CONSIDERED TO BE RELEVANT		
	wart passages	Relevant to claim No.
EP 0 501 798 A (DU PONT) 2 Septem see the whole document	mber 1992	1-17
US 5 476 833 A (FERSCH KENNETH E 19 December 1995 see the whole document	ET AL)	1-17
March 1967 see page 1, line 36 - line 73		1-17
urther documents are fisted in the continuation of box C.	X Paint family members are te	led in somest.
categories of cited documents :	The tenes decriment to blished after the	international filing date
iment defining the general state of the art which is not sidered to be of particular relevance	or priority date and not et contract cited to understand the principle of invention	with the apparation on the claimed invention
ar document that personal and of a death of the service graph of graph of the straight of the special reason (as special re	cannot be considered novel or co involve an inventive step when or "Y" document of periodar relevance;	e document is taken alone the claimed invention
ument referring to an oral disclosure, use, exhibition or her means ument published prior to the international filing date but	document is combined with one of ments, such combination being of in the s.rt. "A" document member of the same po	bylous to a person skilled
the actual completion of theirtemutional search	Date of mailing of the international	
29 December 1997	08/01/1998	
and mailing address of the ISA European Patent Office, P.B. 5616 Patentisan 2 NL - 2280 NV Rijsenjt Tel. (431-70) 340-2040, Tx. 31 651 epo nl.	Authorized officer Muellners, W	
	A01N25/14 Intermational Patent Classification (IPC) or to both national classification and the patent Classification system followed by classification A01N Intermation searched (classification system followed by classification A01N Intermation searched other than minimum documentation to the extent that surface the consulted during the international search (name of data base) INTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relation of document, with indication, where appropriate, of the relation of the whole document US 5 476 833 A (FERSCH KENNETH E 19 December 1995 see the whole document CH 421 158 A (DÜNGEMITTEL—TECHNI March 1967 see page 1, line 36 — line 73 see page 2, line 83 — line 103; Intermation of classification of the stream of the continuation of box C. categories of classification of each priority classification of the state of the stream of the	ADIN25/14 Intermational Pistern Classification (IPC) or to both national classification and IPC EARCHED Immeritation searched (classification system followed by classification symbols) ADIN ADI

INTERNATIONAL SEARCH REPORT

information on patent family members

Inte - onal Application No
PC1/EP 97/04783

		7		10.70	77704700
Patent document itled in search repo		Publication date	Patent lamb member(s)	,	Publication date
EP 0501798	A	02-09-92	AT 154868	T	15-07-97
			AU 661686	5 B	03-08-95
			AU 1583892	? A	06-10-92
			BR 920570:		17-05-94
			CN 106518	l A	14-10-92
			DE 6922066	2 D	07-08-97
			EP 0575489) A	29-12-93
			HU 65070	5 A	28-04-94
			IL 10109		05-12-96
		·	JP 650549:		23-06-94
			PL 17048		31-12-96
			WO 921519		17-09-92
			US 547497		12-12-95
			ZA 920152	5 A	30-08-93
US 5476833	A	19-12-95	US 564359	3 A	01-07-97
CH 421158	A	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	NONE		

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

_
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☑ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☑ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☑ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потить

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)